

GENERATOR WITH IRONS



Automatic steam generators with irons.

Product codes: 1560, 1563

DESCRIZIONE: Products in the low-cost Essentials range are simple and robust, designed and made in Italy by Trevil, to guarantee price-effective quality and reliability. Automatic steam generators with irons.

- Model 1563 includes one 800 W iron with silicone mat and cable holder rod.
- Model 1560 includes two 800 W irons with silicone mats and cable holder rods.

MAIN FEATURES



Easily repositionable

This generator is mounted on casters, and includes a water feed tank.

Installation is easy and does not require permanent connection to the water mains.





No water treatment needed

Both the boiler and the water tank are made of stainless steel. Heating elements are made of self-cleaning Incoloy alloy.





Nonstop operation

Equipped with stainless steel tank and pump for automatic boiler refill without interruptions.

Water level in the boiler is controlled electronically. No floating ball, no moving parts that can fail.



Safe

Each model in the range is equipped with safety protections against over pressure and over temperature. A red alarm light on the front panel turns on to warn the operator in case of failure.





Inexpensive

The LINEABLU range is composed of simple but long-lasting products, designed and manufactured in Italy by Trevil, to guarantee affordable quality and reliability.

TECHNICAL SPECIFICATIONS

| | 1563 | 1560 |
|-------------------------|--|---|
| Description | Automatic steam generator with 1 electric steam iron and 2 kW boiler | Automatic steam generator with 2 electric steam irons and 4 kW boiler |
| Electrical requirements | 230V 50Hz 220V 60Hz | 400V 3N 50Hz 230V 3 50Hz 220V 3 60Hz |
| Total power | 3,17 kW | 5,97 kW |
| Boiler resistance | 2 kW | 4 kW |
| Iron | 0,8 kW | 0,8 kW x2 |
| Pump power | 0,37 kW 0,5 HP | 0,37 kW 0,5 HP |
| Boiler volume | 5 l | 5 l |



| 1563 | 1560 |
|------|------|
| | |

Steam pressure3 bar3 bar43 PSI43 PSI

Footprint $\begin{array}{c} 360 \text{ x } 415 \text{ mm} \\ 14" \text{ x } 16" \\ \end{array} \qquad \begin{array}{c} 360 \text{ x } 415 \text{ mm} \\ 14" \text{ x } 16" \\ \end{array}$

Dimensions 360 x 415 x 790 (max 1560) mm 360 x 415 x 790 (max 1560) mm

14" x 16" x 31 (max 61") 14" x 16" x 31 (max 61")

Net weight $\begin{array}{c} 35 \text{ kg} & 42 \text{ kg} \\ 77 \text{ lbs} & 93 \text{ lbs} \end{array}$