

COMBIVAPOR



Finishing cabinet with rotating door for jackets and trousers.

Product codes: 5400, 5401

DESCRIZIONE: Ironing cabinet with rotating door for drycleaned garments such as jackets, trousers, skirts etc. Available with self-contained boiler or for connection to central steam supply.

MAIN FEATURES

- Automatic finishing cycle controlled by electronic board.
- Automatic start of cycle activated by door lock.

OPTIONS

- Form with nylon bag and expanders.
- Manual or pneumatic trouser toppler device.
- Pneumatic valve for air and steam recycle.
- Steam generator with modular heating elements.

|

TECHNICAL SPECIFICATIONS

	5400	5401
Description	Ironing cabinet – Without boiler	Ironing cabinet – With 12 kW boiler
Electrical requirements	400V 3N 50Hz 220V 3 60Hz	400V 3N 50Hz 220V 3 60Hz
Total power	0,75 kW	13,35 kW
Blowing power	0,75 kW 1,1 HP	0,75 kW 1,1 HP
Pump power	–	0,6 kW 0,85 HP
Steam consumption	15 – 20 kg/h 33 – 44 lbs/h	15 – 20 kg/h 33 – 44 lbs/h
Air consumption	10 NI/min 0,36 cfm	10 NI/min 0,36 cfm
Steam pressure	–	5 bar 72 PSI
Air pressure	6 bar 87 PSI	6 bar 87 PSI
Footprint	960 x 720 mm 38" x 28,5"	960 x 720 mm 38" x 28,5"

	5400	5401
Dimensions	1090 x 1165 x 1820 mm 43" x 46" x 72"	1090 x 1165 x 1820 mm 43" x 46" x 72"
Net weight	155 kg 341 lbs	173 kg 381 lbs